

《单词百科:interferences是什么意思?interferences怎么发音?interferences的解释和用法》

英语单词interferences是什么意思?interferences怎么读?interferences怎么发音?简答网为您整理了interferences的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看一看吧!



interferences怎么读

interferences的读音:[ɪ ntə 'fɪ ə rə ns ɪ z]

interferences的意思

1、n.干涉(interference的名词复数);介入;阻碍;干扰;

interferences的双语例句

1、Interferences and methods of elimination of some commonly co-existing ions (e . g. S²⁻, Ag⁺, Hg²⁺ etc) were tested.

试验了常见离子如 S^{2-} 、 Ag^+ 、 Hg^{2+} 等的干扰及其消除方法.

2、The proposed method is of good accuracy, high repeatability, precision and less interferences from impurities.

方法准确, 重现性、精密度好, 杂质干扰少.

3、The resulting biosensor exhibited fast response, excellent reproducibility and sensibility, expanded linear range and low interferences.

修饰好的电极具有快速的响应, 优秀的再现性和灵敏度, 宽的线性范围和低的干扰水平等特点.

4、Simulation results show the proposed algorithm has a good signal recovery and interferences nulling performance.

仿真结果表明, 算法具有良好的信号恢复和干扰置零性能.

5、Linear frequency modulation (LFM) interferences may be a kind of preferred wideband interferences in spread-spectrum.

线性调频 (LFM) 是扩频系统中常见的一种宽带干扰样式.

6、The possible interferences existed in produced waters are established.

确定了油田水中可能存在的干扰因素.

7、The environmental interferences to infrared temperature measurement in the furnace are analyzed.

分析了轧钢加热炉钢坯红外测温所受到的炉内环境干扰.

8、Spectral interferences of interelements were corrected using interference factor method.

研究了共存元素的干扰及消除方法.

9、The source of differential mode interferences is the current switched by a MOSFET or a diode.

差模干扰来源于场效应晶体管或二极管对电流的开关.

10、Disturbance is mainly divided into same-frequency, high-frequency and low-

frequency interferences in super miniature-rotor dynamic balancing machine.

在超微型转子动平衡机中,主要干扰分为同频干扰、高频干扰和低频干扰。

11、It is suitable for large distances, provides electrical isolation and is insensitive to electromagnetic interferences.

这是大的距离合适,提供电气隔离,是不敏感的电磁干扰。

12、This paper dealt with the primary interferences of electronic instruments and account for the occurrence.

分析了电子仪器设备的主要干扰及其产生原因。

13、High impedance is best defined as the level at which interferences cause significant errors.

对高阻的最好解释是干扰会引起明显误差的阻抗水平。

14、Reflections are interferences, especially irregular topography and low velocity layer when they travel through near surface.

反射波在经过近地表的过程中受到诸多因素的干扰,尤其是地表起伏和近地表低速带,对其影响甚大。

15、Interferences due to leakage current can be controlled by guarding as described in Section 2.3.1.

采用第2.3.1节介绍的保护技术可以控制泄漏电流的影响。

以上是简答网为您整理的interferences怎么读的相关信息,希望对大家有所帮助。查看更多关于interferences的用法、interferences的释义、interferences的相关详情请点击：<https://dict.jiandongshicai.cn/interferences>