

《单词百科:SIL是什么意思?SIL怎么发音?SIL的解释和用法》

英语单词SIL是什么意思?SIL怎么读?SIL怎么发音?简答网为您整理了SIL的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



SIL怎么读

SIL的读音:[sil]

SIL的意思

1、abbr.Speech Interference Level 会话干扰度;

SIL的双语例句

1、SIL 2 Outputs – The SIL 725 Annunciator has common safety related relay outputs which are SIL 2 compliant.

SIL2输出量 – SIL725安全传感器具有普通的安全继电器输出量,SIL2也符合.

2、 Before and after drinking AMB , the activities of IgG, IgM, IgA, C 3, C 4, CIC, CRA and the levels of the SIL-2 R were detected.

检测其服用前后的IgG、 IgM、 IgA、 C_3、 C_4、 循环免疫复合物(CIC), 补体溶解免疫复合物活性(CRA)以及可溶性白细胞介素2受体(SIL-2R)的水平.

3、 Theses diversification safety mechanisms comply with CENELEC EN 50129 for SIL 4 classification.

这些分散的安全机构符合关于SIL4级的CENELECEN50129标准.

4、 Serum IL 6 and sIL 6 R were measured by Elisa assay in all subjects.

采用Elisa法测定3组的血清IL-6、 sIL-6R浓度.

5、 The switching surge insulation level (SIL) is the dominant factor on EHV systems.

操作冲击绝缘水平 (SIL) 对超高压系统来讲是决定性因素.

6、 The expressions the incident and reflected the SIL facet are then to calculate the transmissivity.

在稳相近似下得到入射到SIL底面 以及反射的光能积分表达式,从而求出SIL的透过率.

7、 Objective To investigate the effect of glutamine (Gln) on soluble interleukin 2 receptor (sIL-2 R) of obstructive jaundice (OJ) rats.

目的探讨免疫营养剂谷氨酰胺 (Glutamine,Gln) 对梗阻性黄疸大鼠可溶性白细胞介素2受体 (sIL-2R) 的影响.

8、 In that sil ver is ex pensive , it cannot bewidely used as a conductor.

21由于银的成本很高, 所以不可能广泛地用作导体.

9、 Objective : To investigate the relationship between serum soluble interleukin 2 receptor (sIL 2 R) levels and acute poisoning.

目的: 探讨血清可溶性白细胞介素2受体 (sIL2R)在急性中毒中的临床意义.

10、 At the Place du Br é sil a lavender eye.

在巴西广场有一只淡紫色的眼睛.

11、 There was a positive relationship between the serum sIL? 2 R level and the stage of the carcinoma.

sIL? 2R水平与肝癌临床分期相关.

12、 Objective To investigate the serum SIL-2 R content in the patients with epilepsy and its clinical relevance.

目的探讨SIL-2R在癫痫患者血清中含量及临床意义.

13、 Purpose To investigate the relationship between serum interleukin 6 (IL 6), soluble interleukin 6 receptor (sIL 6 R) levels and low T 3 syndrome.

目的研究白介素6 (IL-6) 和可溶性白介素6受体 (sIL-6R) 与低T3综合征的关系.

14、 Sensitivity and specificity of Serum sIL ~ 2 R were 77 . 8 % and 76 . 5 % respectively.

血清sIL-2R检测恶性肿瘤的敏感性为77.8%,特异性为76.5%.

15、 To achieve SIL-3 , the Safety Controller must also be designed as redundant.

为了实现SIL -3, 安全控制器就必须设计冗余.

以上是简答网为您整理的SIL怎么读的相关信息，希望对大家有一定的帮助。查看更多关于SIL的用法、SIL的释义、SIL的相关详情请点击：<https://dict.jiandongshicai.cn/SIL>