

《单词百科:subtypes是什么意思?subtypes怎么发音?subtypes的解释和用法》

英语单词subtypes是什么意思?subtypes怎么读?subtypes怎么发音?简答网为您整理了subtypes的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



subtypes怎么读

subtypes的读音:[ˈs bta ps]

subtypes的意思

1、n.[计] 子类型;图表类型 (subtype的复数);

subtypes的双语例句

1、 The results showed that among these patients the distributions of HBsAg subtypes were adr (61 %), adw (33 %), ayr (2 %) and adwr (4 %).

结果显示,在这组病例中adr 亚型 占61%, adw占33%, ayr 占2%, adwr 占4%.

2、To analysis the neuropsychological characteristics of different subtypes of attention deficit hyperactivity disorder (ADHD).

分析注意缺陷多动障碍 (ADHD) 儿童不同亚型的神经心理特征.

3、 Meanwhile, the species areal-types of Guangdong Gymnospermae were divided into 20 subtypes in this paper.

同时论文还将广东裸子植物种的分布区类型划分为20个亚型.

4、 There are 12 areal types and 6 subtypes. The distributed type is diverse.

有12个分布区类型和6个变型, 分布类型多样.

5、 Ras gene mutation in childhood AML was mainly found in M 2 , M 4 , M 5 subtypes.

AML患儿中ras基因突变多见于M2 、 M4及M5型.

6、 AIM : To study the functional α _ 1-adrenergic receptor (α _ 1-AR) subtypes in human right gastroepiploic artery (RGA).

目的: 研究人右胃网膜动脉 (RGA) 中介导收缩的功能性 α _ 1- 肾上腺素受体 (α _ 1-AR) 亚型.

7、 The tumor is classified into four subtypes : embryonal, botryoid, alveolar , and pleomorphic.

其病理型多属于胚胎型或肺泡型.

8、 Gene frequencies and probabilities of discrimination (DP) of PGM 1 subtypes in these nationalities were calculated.

计算出上述15个民族的PGM1亚型分布的基因频率及DP值.

9、 Four subtypes (GLUT 1, GLAST, EAAC 1 and EAAT 4) of glutamate transporters have been cloned.

已克隆得到四种Glu转运蛋白,分别为GLAST1、 GLUT1、 EAAC1及EAAT4.

10、 In contrast, CDH subtypes, headache frequencies, or medication overuse were not correlated.

与之相反, CDH亚型、 头痛频率、 药物滥用与高自杀倾向无关.

11、 Conclusion AMA and its subtypes (special anti-M 2) are important sero-immunological markers for the diagnosis of PBC.

20名健康体检者AMA及 M2均阴性.结论AMA及其分型,特别是 M2
抗体检测可作为临床诊断PBC的重要血清免疫学指标.

12、 Optimizing Prophylactic Treatment of Migraine: Subtypes and Patient Matching.

偏头痛预防性治疗的优化.

13、 Different ischemic stroke subtypes have different lipid metabolism profiles.

不同类型的脑卒中亚型急性发作期血脂水平不同.

14、 As expected, the majority the patients had HIV subtypes A or D.

不出所料, 患者大多数是A亚型或D亚型.

以上是简答网为您整理的subtypes怎么读的相关信息, 希望对大家有一定的帮助。查看更多关

于subtypes的用法、

subtypes的释义、subtypes的相关详情请点击: <https://dict.jiandongshicai.cn/subtypes>