

《单词百科:rato是什么意思?rato怎么发音?rato的解释和用法》

英语单词rato是什么意思?rato怎么读?rato怎么发音?简答网为您整理了rato的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



rato怎么读

rato的读音:[ˈreɪt]

rato的意思

1、abbr.rocket-assisted takeoff 火箭助推起飞;

rato的双语例句

1、Antennal sensilla type, number and distribution of the *Tessaratoma papillosa* Drury were studied by scanning electron microscope.

应用扫描电镜技术研究了荔枝蝽(*Tessaratomapapillosa*Drury)触角化感器的类型、数量和分布.

2、 Some researches indicated cholera toxin B subunit (CTB), proteosome and protollin were effective mucosal adjuvants.

研究表明霍乱毒素B亚单位 (cholera toxin B, CTB)、蛋白体(proteosomes)和protollin是比较有效的黏膜佐剂。

3、 I made mine in Illustrator and added some effects with the mesh tool there.

我将自己的一些小东西放在Illustrator中,并用网格工具添加了一些效果。

4、 I will need all fonts and images as the final file in Illustrator and pdf format.

我需要所有的字体和图像,以及在Illustrator和PDF格式的最后文件。

5、 Sometimes I sketch on paper and others I start sketching in Illustrator.

有时候我在纸上画手绘草稿,有时候在Illustrator里做草图。

6、 Two main part: the explorer and juke box part.

两个主要部分: explorer和 juke方块的一部分。

7、 Engineers at the Jet Propulsion Laboratory are creating a micro rover.

“ 喷气推进实验室(Jet Propulsion Laboratory) ” 的工程师们正在创造一种微型漫游者。

8、 The best integrated turf quality was recorded in Ram I 、 Midnight 、 America 、 Connie 、 Liberator, which could be adopted in Shanxi.

Ram I、 Midnight、 America、 Connie、 Liberator综合质量表现均衡且分值较高,是山西省推广应用的重点品种。

9、 Operator Sites are permitted to ignore most extension headers received.

操作入口站点(Operator Site)可以忽略任何收到的SOAPHeader元素。

10、 MustUnderstand : A SOAP header element was passed to an Operator Site.

MustUnderstand:传送到操作入口站点(Operator Site)的消息中包含了一个SOAPHeader元素。

11、 Illustrator's built in Symbol Sprayer can be a highly useful tool for quickly creating awesome graphics.

Illustrator内置的SymbolSprayer(图标喷射器)对于快速创建漂亮的图案来说是非常有用的工具.

12、 This appendix explains the specifics of XML conventions employed across all UDDI Operator Sites.

本附录说明了在所有UDDI操作入口站点(OperatorSite)上关于使用XML的一些约定及其细节.

13、 I do not know the address, but it's two blocks north of the Sheraton Hotel.

我不知道地址,但地点是离sheratonHotel北边两条街的地方.

14、 SEOUL, South Korea-South Korea said on Tuesday that it would investigate all hospitalized pneumonia patients to determine whether they had been exposed to Middle East respiratory syndrome, as it struggled to contain an outbreak of the virus that has infected 95 people in the country and killed seven.

韩国首尔——韩国周二表示,将对所有入院治疗的肺炎患者进行排查,以确定他们是否曾接触中东呼吸综合征(Middle East Respiratory Syndrome,简称MERS)。目前,韩国正在艰难地控制MERS疫情,这里已有95人受到感染,7人丧生。

15、 These iterator types are defined in the iterator header.

上述迭代器类型都在iterator头文件中定义.

16、 The library istream _ iterator type is an input iterator.

标准库istream_iterator类型输入迭代器.

17、 The ostream _ iterator type is an output iterator.

标准库ostream_iterator类型输出迭代器.

以上是简答网为您整理的rato怎么读的相关信息,希望对大家有所帮助。查看更多关于rato的用法、rato的释

义、rato的相关详情请点击：<https://dict.jiandongshicai.cn/rato>