

## 《单词百科:PF是什么意思?PF怎么发音?PF的解释和用法》

英语单词PF是什么意思?PF怎么读?PF怎么发音?简答网为您整理了PF的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



### PF的意思

1、维修指南;

### PF的双语例句

1、PF-TEMP are used to reduce API fluid loss less than 5 ml.

TEMP用于将API失水降低于5毫升.

2、The yearly output pf the portable computers in the factory approximates to 50, 000.

该工厂的袖珍计算机年产量约为五万台.

3、In HC 1 solution ( 0.10 ~ 0.30 mol · L ~ (-1) ) , Sn , DBH-PF and emulsifier OP

form a ternary complex.

在 $0.10 \sim 0.30 \text{ mol} \cdot \text{L}^{-1}$  盐酸介质中,锡与DBH-PF、乳化剂OP形成三元络合物.

4、 It is real power ( kW ) divided by the power factor ( PF ) .

它等于有功功率 ( kW )除以功率因数.

5、 Add adequate PF-THIN to reduce the viscosity and gels of the mud.

加入适量的PF - HIN, 以降低泥浆的粘度和切力.

6、 Simulation results show that the IMM-PF is more accurate and foster than the IMM-EKF .

仿真结果表明,与IMM -EKF 相比,IMM-PF具有更高的跟踪精度和更快的机动响应速度.

7、 Add PF-GLA for raise the resist caving capacity and lubricity.

加入PF - GLA以增强泥浆的防塌润滑性能.

8、 The dip ranges of the three facies belts in outcrops are listed : CNCF-40 ~ 70, PF-25 ~ 45, DF-20 ~ 35.

露头揭示这三个相带的倾角范围为: CNCF-40~70, PF-25~45, DF-20~35.

9、 For handling PF-TEX, contact with skin and eyes should be avoided.

使用PF - TEX时, 要避免粘到皮肤上或溅到眼睛里.

10、 Capacitance from the switch contacts to the coil is typically  $0.2 \sim 15 \text{ pF}$ .

开关触点与线圈之间的电容通常在 $0.2 \sim 15 \text{ pF}$ 之间.

11、 In certain range flowability increases apparently with percentage of PF in mixture.

在一定范围内,树脂含量的增加能够明显提高混合物的流动性.

12、 PF-PLUS is packaged in 25 kg multi-ply paper bags.

PF - PLUS采用 多层复合纸袋包装,每袋25公斤.

13、 ZANU-PF and Mr Makoni apart, the official opposition is weaker than ever.

除去 ZANU -PF和马科尼, 官方的反对派比从前弱很多.

14、 Adding different amount of urea-formaldehyde ( UF ) resin in phenolic ( PF ) resin, the combined adhesive was obtained.

以酚醛树脂 ( PF ) 为基础,与不同加量的脲醛树脂 ( UF ) 复合, 形成一系列复合胶粘剂.

15、 Adding 1-2 % of PF-BPA should be commenced before entering pay zone to minimize formation damage.

进入油层前就在泥浆中加入1 ~ 2%的PF - BPA,以减少地层的损害.

以上是简答网为您整理的PF怎么读的相关信息, 希望对大家有一定的帮助。查看更多关于PF的用法、PF的释义、PF的相关详情请点击：<https://dict.jiandongshicai.cn/PF>

