

## 《单词百科:proximal是什么意思?proximal怎么发音?proximal的解释和用法》

英语单词proximal是什么意思?proximal怎么读?proximal怎么发音?简答网为您整理了proximal的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



### proximal怎么读

proximal的读音:[ pr ks m l]

### proximal的意思

1、adj.最接近的;

### proximal的相关词组

- 1、proximal tubule 近端小管;
- 2、proximal phalanx 近节指骨, 第一指节骨;

- 3、 proximal Interphalangeal joint [医]近端指（趾）间关节;
- 4、 proximal interphalangeal joint [医]近端指（趾）间关节;
- 5、 proximal seta [医]近侧毛;

### proximal的近义词

- 1、 neighboring adj.邻近的;

### proximal的反义词

- 1、 distal adj.末梢的;

### proximal的双语例句

- 1、 During CCW-AFL , CS activation was proximal-to-distal pattern in 13 of 16 patients.

13例 CCW -AFL患者冲动由CS近端向远端传导.

- 2、 Nonoperative management is appropriate for the majority of proximal humerus fractures.

非手术治疗适用于大部分肱骨近端骨折.

- 3、 The glomeruli and proximal convoluted tubules suffer most from this ischemia.

肾小球及近曲小管受缺血损害最重.

- 4、 Methods 28 cases of comminuted proximal humeral fractures were treated with LCP.

方法应用LCP治疗肱骨近端粉碎性骨折28例.

- 5、 Biomechanical Comparison of Bicortical Versus Unicortical Screw Placement of Proximal Tibia Locking Plates: A Cadaveric Model.

胫骨近端锁定钢板的双皮质螺钉与单皮质螺钉的生物力学比较: 一项尸体模型研究.

- 6、 Objective To investigate the relationship of hip fracture and femoral density ( BMD ) and proximal femur geometry.

目的探讨老年妇女髋部骨折与髋部骨密度 ( MD ) 股骨近端几何结构的关系.

7、 Genu valgum after proximal tibia fracture is specific complication in childhood.

胫骨上段骨折并发膝外翻是儿童骨折的特有现象.

8、 Objective To observe the ultrastructure of renal proximal tubule in pig kidney.

目的研究猪肾近端小管的超微结构.

9、 FS would have detected 27.3 % of the proximal advanced neoplasms detected at TC.

乙状结肠镜检可能可以检测出27.3%由结肠镜检发现的基底部恶性肿瘤.

10、 The proximal stenosis CFR was improved after PTCA (  $P < 0.05$  ) and after stenting (  $P < 0.01$  ).

植入支架后增加极显著 (  $P < 0.01$  ),狭窄远端的CFR术前较术后明显增高 (  $P < 0.05$  ),与支架后比较 $P < 0.01$ .

11、 The proximal end of a bone.

'骨骼'的近中心端.

12、 The sequence is characterized by shallow-water proximal storm deposits.

该风暴沉积具有原地或近原地特点.

13、 Proximal pole fractures are a third indication for internal fixation.

近极骨折是内固定的第三个适应症.

14、 IOM usually originated at the site 28 mm proximal to the talar dome.

3例行双侧对比,显示正常骨间膜起于胫距关节面最高点以上28mm处.

15、 Proximal occlusion in LAD, RCA, LCX was 67 % , 58 % , 78 % respectively.

阻塞发生于LAD、 RCA及左迴旋支动脉(LCX)近端的分别占67%、 58%与78%.

以上是简答网为您整理的proximal怎么读的相关信息，希望对大家有一定的帮助。查看更多关

于proximal的用法

、proximal的释义、proximal的相关

详情请点击：<https://dict.jiandongshicai.cn/proximal>

