

《单词百科:linear-gradient是什么意思?linear-gradient怎么发音?linear-gradient的解释和用法》

英语单词linear-gradient是什么意思?linear-gradient怎么读?linear-gradient怎么发音?简答网为您整理了linear-gradient的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



linear-gradient怎么读

linear-gradient的读音:[l i n i (r) r e d i n t]

linear-gradient的意思

1、线性梯度; 线性渐变;

linear-gradient的双语例句

1、Coupling of the strong cation-exchange (SCX) with capillary reversed-phase liquid chromatography (cRPLC) is described for proteomics of rat liver. A step gradient was

applied for SCX column, and a linear gradient was applied for RPLC.

以离子交换色谱 (SCX) 为第一维, 反相液相色谱 (RPLC) 为第二维, 对鼠肝组织的蛋白质组进行了研究。

2、Objective: To develop a HPLC linear gradient elution method for rapid separation of the components of bleomycin, and for determination of bleomycin A2 and bleomycin B2. Method;

目的: 研究应用反相离子对色谱梯度洗脱法以较快速度分离硫酸博莱霉素组分, 并尝试梯度洗脱条件下测定其有效成分A2、B2的含量。

3、Objective Two HPLC methods with linear gradient elution for determination of the related substances of amoxicillin-potassium clavulanate were established and compared.

目的建立两种HPLC线性梯度洗脱测定阿莫西林/克拉维酸钾有关物质的方法, 并对其进行比较。

4、Carotenoids were separated by linear gradient elution using ethyl acetate and water-acetonitrile (1:9, V/V) as mobile phase.

类胡萝卜素亦采用线性梯度洗脱, 以乙酸乙酯作为A相, B相为乙腈-水 (体积比9:1)。保留时间、相对保留时间、光谱法、加标定性, 内标法定量。

5、A C₁₈ column was used with acetonitrile-0.1% acetic acid solution as the mobile phase to determine scutellarein, luteolin and apigenin, and a linear gradient elution from 15% to 60% acetonitrile in 40 min was applied.

测定野黄芩素、木犀草素和芹菜素以乙腈-0.1%醋酸水溶液为流动相, 梯度洗脱 (0-40 min, 乙腈15%-60%)。

6、On the basis of the retention mechanism of displacement adsorption multi-interaction in liquid chromatography, a new retention model which can be used in arbitrary multiple binary linear gradient chromatography was established and the relative retention fundamental equation was derived.

根据顶替吸附多种相互作用的液相色谱保留机理, 本文提出了一个新的适用于任意多阶二元线性梯度色谱的保留模型并导出了相应的保留值基本方程。

7、The Optimization of Binary Mobile Phase Composition in Multi-Step Linear Gradient Elution

液相色谱二元多阶梯线性梯度曲线的最优化

8、 With the text selected, create a Linear Gradient from the Gradient Panel.

与选定的文本，创建一个线性梯度从梯度小组。

9、 Note that this is a radial gradient, whereas earlier you saw a linear gradient.

注意，这是一个放射状渐变，而此前您看到的是一个线性渐变。

10、 Objective; To compare the dependence of signal attenuation on temperature and time caused by the diffusion movements in inhomogeneous and linear gradient magnetic field.

目的：比较非理想均匀磁场和线性梯度磁场中扩散运动引起的信号衰减对温度、时间的依赖性。

11、 The mobile phase is acetonitrile aqueous solution containing 5% (V/ V) acetic acid, with a linear gradient of acetonitrile from 20% to 100% within 10 min.

净化液在反相色谱柱上进行测定，检测波长280nm，流动相为20%乙腈水溶液，10min内线性梯度变为100%乙腈，乙腈和水均各加5%醋酸。

12、 To compare the dependence of diffused attenuation on temperature and time in inhomogeneous and linear gradient magnetic field

非理想均匀磁场和线性梯度磁场中扩散衰减对温度和时间依赖性的比较

13、 Dual linear gradient elution can be performed with two specially made glass container and a high pressure constant flow pump.

用两个特制的玻璃容器及一台平流泵即可实现二元线性梯度洗提。

14、 A New Method for Predicting Retention Time of Solutes Under Linear Gradient Elution Conditions in RP-HPLC

反相高效液相色谱中流动相线性梯度洗脱条件下溶质保留时间预测的新方法

15、 Local fusion uses ways of linear gradient in the overlapped district to eliminate seams.

局部融合方法主要是在两幅图像重合区域采用线性渐变的融合方法消除拼接缝。

16、 Methods: The experimental condition of the RP-HPLC method was as follows: Shim-pack CLC-ODS column (150 × 4.6 mm), with linear gradient elution using acetonitrile

and water; The flow rate was 0.8 mL/ min; Detected wavelength was 235 nm;

方法：采用RP-HPLC法，Shim-pack clc-ODS (150 × 4.6mm) 色谱柱，乙腈和水梯度洗脱，流速0.8mL/min，检测波长235nm，柱温25 。

17、Linear gradient: B increased from 0 to 100% (V/ V) in 15 minutes;

线性梯度：B在15min内由0%增至100%；

18、The mobile phase was acetonitrile-water, using linear gradient elution, the column temperature was 30 ；

流动相为乙腈-水，线性梯度洗脱；柱温：30 ；

以上是简答网为您整理的linear-gradient怎么读的相关信息，希望对大家有一定的帮助。查看更多关于linear-gradient的用法、linear-gradient的释义、linear-gradient的相关详情请点击：<https://dict.jiandongshicai.cn/linear-gradient>

