

## 《单词百科:CISH是什么意思?CISH怎么发音?CISH的解释和用法》

英语单词CISH是什么意思?CISH怎么读?CISH怎么发音?简答网为您整理了CISH的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



### CISH的意思

1、显色原位杂交;腹腔镜筋膜内子宫切除术;子宫切除术;筋膜内子宫切除术;原位杂交

### CISH的双语例句

1、 Results The hystera order total resection under the celioscope ( LSH), in the intramembrane abdominal hysterectomy ( CISH);

结果腹腔镜下子宫次全切除 ( LSH ) , 鞘膜内子宫切除术 ( CISH ) ;

2、 Objective: To introduce the steps and experiences of ameliorating classic intrafascial scerrated hysterectomy ( CISH).

前言 : 目的 : 介绍改良式腹腔镜筋膜内子宫切除术的步骤及经验。

3、 Live cells were observed under inverted microscope equipped with Hoffman modulation contrast optics, and classified according to their morphology. Chromogenic in situ hybridization ( CISH) using chromosome 17 centromere probe and anti-c-kit immunocytochemistry staining were applied to classified cell smears.

在Hoffman光学镜头下根据细胞形态进行活细胞分类，选取各类细胞分别涂片，行17号染色体着丝粒探针化学显色原位杂交和c-kit抗原表达免疫细胞化学染色。

4、 Meanwhile, the citrus chromosome slides used for FISH and rDNA loci situation on chromosome, genetic variation analysis among the homologous tetraploids and diploids, repeated sequence of chromosome in situ hybridization ( CISH) for chromosome identification and species evolution were discussed.

对用于荧光原位杂交的柑橘染色体制片方法和rDNA在染色体上的分布位置、同源四倍体和相应二倍体的遗传差异分析、重复序列的染色体原位杂交用于染色体识别和物种演化研究等进行了讨论。

5、 Classical intrafascial supracervical hysterectomy ( CISH) might preserve the intact of normal pelvic anatomy and for section of the entire transformation zone which area easily affected of cervical carcinoma, also no limitation of the uterine size.

腹腔镜筋膜内宫颈上子宫切除术（CISH）可保持阴道及盆底正常解剖结构的完整性，切除宫颈癌的好发部位，而且手术受子宫大小及其与周围粘连的限制少。

6、 Methods: 102 cases were performed classic intrafascial supracervical hysterectomy ( CISH) 66 cases were performed laparoscopic assisted vaginal hysterectomy ( LAVH), and 98 cases were performed total abdominal hysterectomy ( TAH). The clinical data in three groups were compared and analyzed.

方法：回顾分析腹腔镜筋膜内子宫切除术（CISH）102例，腹腔镜辅助下阴式子宫切除术（LAVH）66例及剖腹子宫切除术（TAH）98例的临床资料。

7、 Methods A retrospective analysis was conducted in 60 women underwent CISH.

方法回顾分析腹腔镜筋膜内子宫切除手术60例。

8、 METHODS: One hundred and forty-two patients with benign gynecological pathological changes who would have hysterectomy were divided into two groups: 82 patients in experimental group who would have classic intrafascial supracervical hysterectomy ( CISH) and 60 patients in Traditional Gastrohysterectomy ( TH) group.

方法：将142例行子宫切除术的患者随机分成2组，研究组82例，采用腹腔镜下超声刀筋膜内子宫切除术（CISH），对照组60例采用传统腹式全子宫切除术（TH）。

9、Conclusions: CISH had many advantages with less wound. Benign uterine diseases can be treated by laparoscopic operation.

结论：CISH具有很多微创手术的优点，适合良性子宫病变患者。

10、Results: CISH was successful in 97.44% ( 38/ 39) of cases.

结果：39例行CISH的患者中，38例顺利完成，成功率38/39（97.44%）；

11、The technique of chromosome in situ hybridization ( CISH) has been extensively applied to genetics and breeding of higher plants.

染色体原位杂交技术近年发展较快，已广泛应用于植物遗传育种实践。

12、Objective To investigate the complications and preventive measure of classical intrafascial supracervical hysterectomy ( CISH).

目的探讨腹腔镜筋膜内子宫切除术（CISH）的并发症及预防措施。

13、Conclusions: CISH is superior to open surgery and worthy of being generalized.

结论：腹腔镜筋膜鞘内子宫切除术优于传统的开腹手术，适于临床推广运用。

以上是简答网为您整理的CISH怎么读的相关信息，希望对大家有一定的帮助。查看更多关于CISH的用法、CISH的释义、CISH的相关详情请点击：<https://dict.jiandongshicai.cn/CISH>