

《单词百科:CNV是什么意思?CNV怎么发音?CNV的解释和用法》

英语单词CNV是什么意思?CNV怎么读?CNV怎么发音?简答网为您整理了CNV的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



CNV的意思

1、伴随性负电位变化;

CNV的双语例句

1、FFA combined with OCT is better for detecting the formation and the changes of CNV.

FFA联合OCT可有效检测CNV的形成和变化.

2、Conclusion PCV could be a special type of CNV of exudative AMD.

结论PCV与 湿性AMD不尽

相同,可能是AMD的另一种特殊类型,治疗可能应有所不同,有待于进一步研究.

3、 Conclusion Macular CWZ could be a predilection site of CNV in exudative AMD.

结论 黄斑区CWZ可能是渗出型AMD的CNV好发部位.

4、 Results ADHD and CD patients presented irregular CNV waveform, especially CD patients.

结果 ADHD、CD波形均有变异,以CD为显著.

5、 Method: CNV animal model by Ya laser coagulation in BN rat and observed by and FFA.

结论: 氩激光光凝可以成功制作BN大鼠CNV动物模型,为CNV防治的研究奠定了基础.

6、 Conclusion Subsensory retina CNV mainly occur in non-exudative AMD cases and AMD cases with short course.

结论视网膜神经上皮CNV多发生于非AMD患者及病程早期的AMD患者.

7、 The incidence of CME was significantly higher in exudative AMD than in non-AMD (52.05 % versus 24.32 %)

渗出型AMD患眼黄斑囊样水肿(CME)的发生率(52.05%)显著高于非AMD的CNV患眼(24.32%).

8、 Conclusion The histopathological characteristics of exudative AMD may be related to the manifestations of ICGA.

结论 渗出型AMD患者CNV的组织病理学特征与ICGA表现具有一定的相关性.

9、 Vision acuity, fovea thickness and CNV leakage before and after treatment were analyzed.

对比分析治疗前后视力、视网膜厚度及脉络膜新生血管(CNV)病灶渗漏变化情况.

10、 CNV was firstly observed on day 7 after photocoagulation by FFA and histopathology.

光凝后7d,FFA检查可见光凝区有圆盘状荧光素渗漏.

11、 Purpose: The aim of test appropriate rat models of corneal neovascularization (CNV) induced by alkali injury.

目的: 探索相对稳定可靠的碱烧伤大鼠角膜新生血管 (CNV) 动物模型.

12、 By all appearances, CNV was rare and always a direct cause of disease.

显然, CNV是罕见的且往往是疾病的直接原因.

13、 The present study measured CNV on 17 volunteers with 2000,4000 Hz pure tone.

测试音采用2000、4000H之纯音.

14、 Conclusion ICGA can localize the CNV better and show the border of CNV clearer.

结论ICGA出现的CNV轮廓较ffa清晰,定位准确.

以上是简答网为您整理的CNV怎么读的相关信息，希望对大家有一定的帮助。查看更多关于CNV的用法、CN

V的释义、CNV的相关详情请点击：<https://dict.jiandongshicai.cn/CNV>

