

《单词百科:PGF是什么意思?PGF怎么发音?PGF的解释和用法》

英语单词PGF是什么意思?PGF怎么读?PGF怎么发音?简答网为您整理了PGF的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



PGF的意思

1、花粉生长因素;

PGF的双语例句

1、PGF₂ , U 46619 LTC₄ , LTD₄ also increased mesangial cell Diacylglycerol (DAG) mass levels.

PGF₂ 、 U46619、LTC₄、LTD₄促进系膜细胞合成二脂酰甘油 (diacylglycerol,DAG).

2、 The difference in salivary 6 K PGF_{1a} between periodontal disease groups was significant before scaling.

结果:洁治前不同牙周病组间患者唾液中6-K-PGF_{1a}含量比均有显著性差异.

3、The 8-iso-prostaglandin F₂ (8-iso-PGF₂) levels in the renal tissue were determined by enzyme-linked immunosorbent assay (ELISA). The contents of NO and the activity of NOS were detected by azotic acid disoxidation methods.

采用酶联免疫吸附法检测大鼠肾组织8-异前列腺素F₂ (8-iso-PGF₂) 水平, 硝酸还原法测定一氧化氮合酶 (NOS) 活力和NO含量。

4、Aging Relation to the Changes of 6-keto-PGF_{1a} and TXB₂ Levels in Cultivated Fluids of Endothelial Cells of Thoracic Aortae in Wistar Rats

Wistar鼠主动脉内皮细胞传代培养中6-酮-PGF (1) 和TXB₂水平改变的年龄关系

5、Pot experiments were conducted with three kinds of coated slow released fertilizers (PG、PGg、PGf) which developed by researchers to study the effects of fertilizers on the growth of upland rice.

对自行研制的3种包膜缓释肥料 (PG、PGg、PGf) 的肥效进行旱稻盆栽试验。

6、The dry rice pot experiment shows that the coated fertilizer of PG, PGg and PGf can improve the nitrogen use efficiency respectively 1.5%, 7.5% and 4.7% compared with the common compound fertilizer.

旱稻盆栽试验结果表明, PG、PGg、PGf三种包膜肥料分别比未包膜肥料的氮素利用率提高了1.5%、7.5%、4.7%。

7、The volatilization experiments manifest the restrain to nitrogen volatilization of coated fertilizer is apparent. Compared with uncoated fertilizer CK, the nitrogen volatilization of PG, PGg, PGf coated fertilizer decrease by 18.1%, 26.0%, 19.3% respectively.

挥发试验结果表明, 包膜肥料对抑制氮素挥发具有明显的作用, PG、PGg、PGf与CK相比, 氮素挥发总量分别减少了18.1%、26.0%、19.3%。

8、The level of TXB₂ and 6-Keto-PGF_{1a} in blood were measured by ARI.

采用放射免疫法(RAI)检测血浆中TXB₂、6-Keto-PGF_{1a}水平。

9、2~ 3 days later after the serious HIE neonates in the NAC group were treated by the NAC, the NBNA scores were higher than the conventional therapy group and the continue times of the hyperspasmia became shorter, while the plasma 8-iso-PGF_{2a} level dropped down.

在常规治疗的基础上，重度HIE患儿加用NAC治疗2~3天后，血浆8-iso-PGF_{2a}水平下降，同时，其惊厥持续时间缩短，NBNA评分增加；

10、A self-controlled study was done in 17 cases with AMI, 38 cases with angina, 19 cases with hypertension. The levels of plasma TXB₂ and 6-keto-PGF₁ were measured in various day of trea(?)

用蛇毒抗栓酶以自身对照方法治疗17例急性心肌梗塞、38例心绞痛和19例高血压病患者，分别测定不同治疗时间患者血浆TXB₂、6酮PGF₁浓度。

以上是简答网为您整理的PGF怎么读的相关信息，希望对大家有一定的帮助。查看更多关于PGF的用法、PGF的释义、PGF的相关详情请点击：<https://dict.jiandongshicai.cn/PGF>

