

《单词百科:OXC是什么意思?OXC怎么发音?OXC的解释和用法》

英语单词OXC是什么意思?OXC怎么读?OXC怎么发音?简答网为您整理了OXC的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



OXC的意思

1、abbr.optical cross connect 光交叉连接;optical cross-connection 光交叉连接;

OXC的双语例句

1、 Using OXCF 950 chip, serial interface is set by use of E 2 PROM within oxcf 950.

选用OXCF950芯片,并利用该芯片内部的E2PROM对串口进行设置.

2、 At Foxconn International, which has in effect doubled wages for hundreds of thousands of assembly-line workers, staff costs (including pensions) are about 7 per cent of the cost of inventories.

富士康国际 (Foxconn International) 事实上已经为数十万装配线工人加了一倍工资 ,

但该公司的员工成本（包括养老金）仍只有库存成本的7%左右。

3、 The temperature and concentration distribution in the aluminiferous solid fuel combustion are measured by BOXCARS with single laser pulse.

介绍了用单脉冲BOXCARS技术测量含铝固体燃剂燃烧场的温度及氮气的浓度。

4、 BOXCARS diagnostics for aluminiferous solid fuel combustion

用BOXCARS技术诊断含铝固体燃剂燃烧场

5、 Single pulse BOXCARS applied to measure temperature of transient combustion

单脉冲BOXCARS技术在瞬态燃烧场测温中的应用

6、 Measurement of temperature in a combustion field by BOXCARS

BOXCARS测量燃烧场的温度

7、 A novel boxcar algorithm and its application in data compression

一种新的Boxcar算法及其在数据压缩中的应用

8、 They play an important role in the applications including optical cross connection (OXC), optical add-drop multiplexing (OADM) and natural repair protection.

光开关可以应用在光交叉互联（OXC）、光分插复用（OADM）以及自愈保护等中。

9、 The Application of the Software about Boxcar Integrator Model Parameter on the nS Fluorescence Measure

Boxcar积分器模型参数软件在nS荧光测量中的应用

10、 The selection of boxcar integrator model parameter

Boxcar积分器模型参数选择

11、 It consists of a Boxcar integrator, a latch, a pulse-width modulator and a signal control circuit.

它由Boxcar积分器，锁存器，脉冲宽度调制器和控制信号电路组成。

12、 Secondly detection technique of weak fluorescence was studied and double

detection circuit which comprise of PMT, PIN detector, the circuit of signal amplified, the circuit of low-pass filter and Boxcar integrator was designed.

其次，研究了微弱荧光信号的检测技术，设计了由光电倍增管和PIN探测器，前置放大电路、滤波电路，Boxcar取样积分器组成的双通道检测电路，完成了对背景噪声中微弱荧光信号的提取。

13、 In this paper, the circuit for getting rid of 90° & 180° impulse from Spn Echo Spectrometer is designed, The circuit apply to detect weak Spin Echo Signal together with Boxcar Integrator and Spin Echo Spectrometer, and improved dynamic range greatly.

设计了除去自旋回波谱仪输出的 90° 脉冲信号电路，该电路的设计可实现利用Boxcar积分器和自旋回波谱仪测量微弱的自旋回波信号，较大地提高Boxcar积分器的输入动态范围。

14、 A new asymmetrical wavelength dilated OXC construction based on wavelength grouping method is designed.

在波长分组的概念基础上提出了一种新的不对称波长扩展OXC结构。

以上是简答网为您整理的OXC怎么读的相关信息，希望对大家有一定的帮助。查看更多关于OXC的用法、OXC的释义、OXC的相关详情请点击：<https://dict.jiandongshicai.cn/OXC>