

## 《单词百科:mrn是什么意思?mrn怎么发音?mrn的解释和用法》

英语单词mrn是什么意思?mrn怎么读?mrn怎么发音?简答网为您整理了mrn的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



### mrn的意思

1、abbr.Martin 马丁;

### mrn的双语例句

1、ATX mRNA was also detected in ovarian carcinoma tissues.

ATXmRNA 在卵巢癌细胞亦可见明显扩增条带.

2、RT-PCR confirmed that AtT-20 cells presented an endogenous expression of H<sub>4</sub> receptor mRNA.

RT-PCR 结果证实,在AtT-20细胞中存在组胺H4受体mRNA的内源性表达.

3、 Assaying myocardial Ang by immunoradiometry and assaying myocardial CTGF mRNA was by RT-PCR after 12 weeks.

12周末检测血糖、血脂、心肌组织血管紧张素,应用RT -PCR检测心肌CTGRmRNA的表达水平.

4、 RT PCR was performed for APN gene expression in liver tissue.

(2)APN表达:根据兔APN基因 cDNA序列 设计引物,提取肝总RNA,利用RTPCR方法,检测肝APNmRNA水平的变化.

5、 The mRNA expression of DPIV and APN were similar in both groups.

DPIV和APNmRNA表达量两组相似.

6、 Applying antisense oligonucleotide to block the expression of CLC-3 mRNA .

应用反义核酸的阻断CLC— 3mRNA 在细胞中的表达.

7、 Angiotensin receptor ( ATR ) mRNA expression of VSMC was measured by RT PCR.

RTPCR检测VSMC血管紧张素受体 ( ATR ) mRNA表达.

8、 The expression of HIF-1 mRNA and protein was stronger in earlier period than anaphase.

mRNA与蛋白的表达在缺氧早期高于后期.

9、 NAC partly decreased AP-1 activity induced by Aldo.

Aldo可诱导 1-1型前胶原mRNA的表达.

10、 The serum alanine transferase ( ALT ), hepatic Fas mRNA, caspase 3 activity and hepatocyte apoptosis were analyzed.

测定各组的血清谷丙转氨酶(ALT )、 肝组织FasmRNA表达、 caspase3活性和肝细胞凋亡.

11、 The expression of UCP 2 mRNA between brown adipose tissue and muscle is simliar in all groups.

各组褐色脂肪组织与骨骼肌UCP2mRNA水平相近.

12、 Conclusion: Actinomycin D can inhibit expression of C myc mRNA and intimal hyperplasia in graft.

结论: 大剂量应用放射菌素D可以抑制Cmyc mRNA表达,从而抑制移植血管内膜增殖.

13、 RT-PCR was used to determine GK and PEPCK gene expression ( corrected by p-actin ) .

用RT -PCR 检测GK和 PEPCK mRNA表达水平的变化.

14、 Conclusions Measurement of the distribution of T 3 RmRNA is helpful to the differentiation of TCM-bion Zheng.

结论在外周血白细胞中,T3RmRNA各亚型表达有助于临床对中医气阴两虚、 阴阳两虚型的确立.

15、 The expression of Bim mRNA and Bax mRNA in endometrium is negative related (  $P < 0.05$  ).

相关分析结果显示在不同子宫内膜组织中,Bim mRNA与Bax mRNA表达呈明显负相关 (  $P < 0.05$  ).

16、 The expression of cyclin D 1 and CDK 4 were detected by RT PCR method.

RT-PCR检测细胞周期素D1(cyclinD1)、 细胞周期蛋白依赖激酶4(CDK4)mRNA的表达.

17、 Results The expression of B 7-H 1 mRNA and protein in astrocyte line CRL-2541 was decreased after RNAi.

结果星形胶质细胞株CRL -2541

经RNAi沉默后B7-H1 mRNA表达下调,免疫组化发现其蛋白水平下降.

18、 There was significant correlativity between the mRNA expression of podocin and the level of MDA, SOD, T-AOC.

podocin mRNA的表达与MDA呈正相关, 与SOD和 T -AOC呈 显著负相关.

以上是简答网为您整理的mrn怎么读的相关信息 , 希望对大家有一定的帮助。 查看更多关于mrn的用法、 mrn的

释义、 mrn的相关详情请点击 : <https://dict.jiandongshicai.cn/mrn>