

《单词百科:lier是什么意思?lier怎么发音?lier的解释和用法》

英语单词lier是什么意思?lier怎么读?lier怎么发音?简答网为您整理了lier的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



lier怎么读

lier的读音: ['la]

lier的意思

1、n.躺卧者;

lier的双语例句

1、 However, those who also take Lipitor , Celebrex and Aleve face an increased risk of liver damage.

但当人们同时服用立普妥、西乐葆萘普生钠时肝损伤几率增加.

2、The overall surgical morbidity rate was 25 %. Three patients had hepatic adenomas in the explanted liver.

总的外科发生率为25%。3例患者的移植肝出现肝腺瘤。

3、Liver steatosis was induced in male Wistar rats by a choline-methionine-deficient diet.

用胆素 - 甲硫氨酸缺乏饮食诱导雄性Wistar鼠肝脏脂肪变性。

4、Hepatorenal syndrome (HRS) is a well-recognized complication of end-stage liver disease.

肝肾 综合征 是一项肝病晚期普遍的并发症。

5、Hepatitis A is an inflammation of the liver caused by infection with the hepatitis A virus.

甲型肝炎是由甲型肝炎病毒感染所致的肝脏炎症。

6、Conclusion: Multiple viral variants accumulate in the liver of occult HB-infected patients.

结论: 隐性HB感染病人肝内有复杂的病毒变异型蓄积。

7、Liver, gallbladder, pancreas, spleen: no obvious abnormality is found.

肝胆胰脾: 未见明显异常。

8、SULF 2 also appears to be a factor in liver cancer under investigation by the Mayo researchers.

通过Mayo研究人员的研究发现,SULF2看起来也与肝癌有关。

9、Title: Comparison of two techniques of transarterial chemoembolization before liver transplantation for hepatocellular carcinoma: A case-control study.

肝细胞性肝癌在肝移植前两种经动脉介入化疗方法的比较: 病例 - 对照研究。

10、Non-Alcoholic Steatohepatitis, more popularly as Fatty Liver Disease, occurs in approximately 15 % of obese children.

非酒精性脂肪性肝, 更普遍以脂肪肝著称, 在极度肥胖的儿童中发生率大约15%。

11、 Initial graft function following liver transplantation is a major determinant of postoperative survival and morbidity.

肝移植后移植物的最初功能术后存活和发病的主要决定因素.

12、 Nonanastomotic biliary strictures (NAS) after orthotopic liver transplantation (OLT) are associated with high retransplant rates.

原位肝移植术后非吻合性胆道狭窄 (NAS) 常伴随着高的再次移植率.

13、 First human viral vaccine that can prevent cancer (hepatitis B virus vaccine for liver cancer) introduced.

1981年,发明首个预防癌症的人病毒疫苗 (乙型肝炎病毒疫苗预防肝癌) .

14、 Early steroid withdrawal after liver transplantation (LT) is desirable order to reduce steroid side effects.

肝移植后早期类固醇撤退是适宜的,以减少类固醇的副作用.

15、 The most common side effect noted is elevation of liver enzymes that is reversible.

有记载的最常见的副作用是肝酶可逆性升高.

以上是简答网为您整理的liver怎么读的相关信息，希望对大家有一定的帮助。查看更多关于liver的用法、liver的释义、liver的相关详情请点击：<https://dict.jiandongshicai.cn/liver>