

## 《单词百科:ICAM是什么意思?ICAM怎么发音?ICAM的解释和用法》

英语单词ICAM是什么意思?ICAM怎么读?ICAM怎么发音?简答网为您整理了ICAM的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



### ICAM的意思

1、智能计算机辅助制造;

### ICAM的双语例句

1、MoAb to CD 11 b and ICAM-1 significantly inhibited this adhesiveness (  $P < ( 0.05$  )).

CD11b单抗和 ICAM1 单抗可明显抑制这种粘附 (  $P < 0.05$  ).

2、Continuous ICAM 1 expression might be related to the stenosis of eustachian tube.

咽鼓管狭窄可能是粘膜ICAM- 1持续表达的原因之一.

3、 This study suggests that the anti-ICAM-1 MAb has significant protective effect against isoproterenol induced myocardial damage.

提示 抗 ICAM -1 单抗对异丙肾引起的心肌损害具有保护作用.

4、 Immunohistochemical and biochemical techniques were used to detect myocardial ICAM-1 and myeloperoxidase ( MPO ).

采用免疫组织化学和生化法检测心肌 ICAM -1 的表达及髓过氧化物酶 ( MPO ) 水平.

5、 Asarinin could also decrease the level of ICAM-1 and VCAM-1 in the allografts.

CsA组、 细辛脂素组和混合药物组移植心局部 ICAM -1 和 VCAM -1 含量较阳性对照组明显减少.

6、 Results: 1 . The protein and mRNA of ICAM-1 was expressed at low levels on nomoral TEC.

结果: 1. 正常大鼠肾小管上皮细胞 ICAM -1 蛋白质和 mRNA 低水平表达.

7、 ICAM-1 may play important roles in myocardial ischemia-reperfusion injury after CPB.

ICAM -1 在 CPB 后心肌缺血再灌注损伤中起重要作用.

8、 Objective To investigate the change and clinical value of C-peptide ( CP ), intercellular adhesion molecular-1 ( ICAM-1 ), insulin resistance of traumatic patients.

目的探讨创伤患者急性期 C 肽 ( CP )、 细胞间黏附分子 -1 ( ICAM -1 )、 胰岛素抵抗 ( IR ) 的变化特点及其临床意义.

9、 Results showed that ICAM-1 immunoreaction was negative or weak in normal control group.

结果显示正常对照组大鼠脑血管 ICAM -1 免疫组织化学显色为阴性或弱阳性反应.

10、 But FTN group excel GZFL group.

妇痛宁组、 桂枝茯苓丸组 ICAM-1 的染色范围较模型组明显减少, 染色程度明显减弱, 妇痛宁组优于桂枝茯苓丸组.

11、 The expression of ICAM-1 mRNA can be inhibited when treated with GCV and PFA ( P < 0.05 ).

GCV和PFA可抑制HCMV感染诱导的ICAM -1 表达的上调 (  $P < 0.05$  ).

以上是简答网为您整理的ICAM怎么读的相关信息，希望对大家有一定的帮助。查看更多关于ICAM的用法、ICAM的释义、ICAM的相关详情请点击：<https://dict.jiandongshicai.cn/ICAM>

