

《单词百科:inhibitory是什么意思?inhibitory怎么发音?inhibitory的解释和用法》

英语单词inhibitory是什么意思?inhibitory怎么读?inhibitory怎么发音?简答网为您整理了inhibitory的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看一看吧!



inhibitory怎么读

inhibitory的读音:[n' h b t r]

inhibitory的意思

1、adj.禁止的，抑制的;

inhibitory的相关词组

1、inhibitory neuron 抑制性神经元;

2、cloning inhibitory factor 细胞集落抑制因子，抑制细胞系因子;

3、 clonal inhibitory factor [医]克隆抑制因子;

inhibitory的近义词

1、 repressing v.抑制(repress的现在分词);约束;镇压;制止;

2、 repressive adj.抑制的 , 镇压的;压抑的;

inhibitory的双语例句

1、 Results: Cefradine sterile examination of Staphylococcus aureus have strong inhibitory activity.

结果: 头孢拉定无菌检查时,对金黄色葡萄球菌有较强的抑活性.

2、 The vagus nerves have an inhibitory action on atrial pacemakers.

迷走神经对心房起搏点有抑制作用.

3、 Objective : To study the inhibitory effect of ampelopsis on melanoma.

摘要:目的: 研究蛇葡萄素对黑色素瘤的抑制作用.

4、 The average inhibitory rates of DDP, E-ADM, VM 26, Taxol, Gemzar, 5-Fu and BLM were 47.6 %, 38.0 %, 42.7 %, 27.4 %, 23.0 %, 26.3 % and 24.8 %, respectively.

顺铂(DDP)、 表柔比星(E-ADM)、 替尼泊苷(VM26)、 紫杉醇(Taxol)、 吉西他滨(Gem zar)、 氟尿嘧啶(5-FU)和BLM的平均抑制率分别为47.6%、 38.0%、 42.7%、 27.4%、 23.0%、 26.3%和24.8%.

5、 The apparent activation energy of the inhibitory reaction is 86.

阻抑反应的表现活化能为86.

6、 Kinetin was later shown to be inhibitory for embryoid formation.

激动素原来被表明抑制胚状体的形成.

7、 MSFD combined with Bup showed a synergistic inhibitory effect.

MSFD联合Bup治疗,能协同抑制小鼠及大鼠的戒断反应.

8、 Conclusion: EELC is a suit medicine inhibitory effect of gastric ulcer protective.

结论: 蓝靛果乙酸乙酯提取物是一种具优势的消化性溃疡治疗药物.

9、 Objective To study in vitro growth inhibitory effect of LIA on bacteria.

目的探讨女贞子体外抑菌作用.

10、 Objective To study the in vitro growth-inhibitory effect of MOR on bacteria.

目的探讨厚朴的体外抑菌作用.

11、 The minimum inhibitory concentration (MIC) of herbs to the bacteria been tested.

采用肉汤稀释法,测定中药对测试菌的最低抑菌浓度 (MIC).

12、 Objective To study in vitro growth-inhibitory effect of EHW on bacteria.

目的探讨地锦草的体外抑菌作用.

13、 That top-down, inhibitory connection is severed in the condition of sleep deprivation.

而睡眠剥夺情况下 自上而下的抑制性联系被割断.

14、 CONCLUSION: Genistein has significant inhibitory effects on mouse ACD induced by DNFB.

结论: Gen对 DNFB诱发的小鼠ACD有明显抑制作用.

15、 Conclusion: 9.1 C 3 molecule is a kind of killing cell inhibitory receptor.

结论: 9.1C3分子是一种抑制型杀伤细胞受体.

以上是简答网为您整理的inhibitory怎么读的相关信息,希望对大家有所帮助。查看更

多关于inhi

bitory的用法、inhibit

ory的释义、inhibitory的相关详情请点击：<https://dict.jiandongshicai.cn/inhibitory>