

《单词百科:initialize是什么意思?initialize怎么发音?initialize的解释和用法》

英语单词initialize是什么意思?initialize怎么读?initialize怎么发音?简答网为您整理了initialize的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧！



initialize怎么读

initialize的读音:[n la z]

initialize的意思

1、vt.初始化;

initialize的近义词

1、adjust vt.& vi. (改变...以) 适应, 调整, 校正;调准(望远镜等), 对准, 校正, 校准(机械等);核算(盈亏);[保]评定(赔偿要求);

2、format

n. (出版物的) 版式; [自] (数据安排的) 形式; 电视节目的总安排 (或计划);

3、initialise [计] 初始化, 赋初值, 预置;

4、modify vi. 被修饰; 修改;

5、prepare v. 把...准备好; 为...做准备; 预备饭菜; 调制;

initialize的双语例句

1、It should define its own constructor to initialize these members.

它应该定义自己的构造函数来初始化这些成员.

2、If you don't explicitly initialize a global variable, the compiler initializes it to 0.

如果没有明确地初始化全局变量, 那么编译器将对其初始化为0.

3、Use constructors to initialize members that require more sophisticated logic.

使用构造函数来初始化具有复杂逻辑的成员.

4、Software designed divide into three model: initialize, serial interruption service programming, serial port selected.

软件设计分为: 初始化、串行中断服务程序、串行口选择三个模块.

5、To prepare for use, e.g., to initialize a diskette.

准备使用, 例如初始化一张软盘.

6、Applications should initialize diagnostics before any other BOINC calls.

计算程序应该在使用所有其它的BOINC调用前, 首先初始化诊断接口.

7、You must initialize the FileName property before calling methods.

您必须先初始设置“文件名”属性, 才可以调用方法.

8、Yes, initialize the schema and data at the Subscriber.

是, 在订阅服务器上初始化方案和数据.

9、 Assignment (upon uninitialized): To initialize the wrapped object with value of another wrapped object.

赋值 (到未初始化的对象): 以另一个包装对象的值初始化包装对象.

10、 Next initialize your device extension and the Flags member of the device object.

接下来初始化你的设备扩展名以及设备对象的标志成员.

11、 A problem occurred when the wizard attempted to initialize cluster creation.

向导试图初始化群集创建时发生错误.

12、 Failed to initialize object picker for the target domain.

为目标域初始化对象选取器失败.

13、 Slot failed to Initialize.

在初始化插槽时失败.

14、 Initialize will erase the entire contents of '% 1 '. Do you want to initialize?

初始化将会清除 “ %1 ” 上的所有内容. 是否进行初始化?

15、 Note that memory allocation methods often do not initialize the allocated memory to a particular value.

为了减少影响系统性能的磁盘碎片,应避免分配小内存块.

16、 Could not allocate enough memory to initialize'% 1 '.

未能为初始化'%1'而分配足够的内存.

17、 You tried to initialize bit field with a non scalar (struct, union, array, or class).

尝试用非标量 (结构、 联合、 数组或类) 初始化位域.

18、 In order to initialize this card, you must enter the Administration or Site Security Password.

为了初始化此个人卡, 必须输入管理口令或网站安全性口令.

以上是简答网为您整理的initialize怎么读的相关信息，希望对大家有一定的帮助。查看更多关

于initialize的用法、

initialize的释义、initialize的相关详情请点击：<https://dict.jiandongshicai.cn/initialize>

