

《单词百科:self-support是什么意思?self-support怎么发音?self-support的解释和用法》

英语单词self-support是什么意思?self-support怎么读?self-support怎么发音?简答网为您整理了self-support的解释、用法、例句、词组等相关学习资料。下面跟小编一起来看看吧!



self-support怎么读

self-support的读音: ['selfs ə 'pɔ :t]

self-support的意思

1、n. 自立, 自给;

self-support的相关词组

1、added support [体] 附加支撑;

- 2、bearing support 轴承座;
- 3、customer support 客户支持;
- 4、cushion support 让压支架, 可缩支架;
- 5、child support (子女) 抚养费;
- 6、decision support system 决策支持系统;
- 7、engine support 发动机支架;
- 8、employee self service 员工自助服务;
- 9、financial support 财政支援;
- 10、hardware-software support 硬软件支援;
- 11、inner self 内在自我;
- 12、income support 收入保障津贴;
- 13、in support of 支持;证明…正确;
- 14、life support 生命维持;
- 15、lend support to 支持, 支援;扶;
- 16、leaf support 过滤叶片支架;
- 17、price support 政府用补贴方法维持物品价格的政策;
- 18、powered support 动力支架;
- 19、radiator support 散热器支架;
- 20、support group (由遇到相同困难的人士组成的) 互助小组, 互助扶持小组;

self-support的双语例句

- 1、Many non-governmental organizations support the creation of self sustaining programs in four poor countries.

许多非政府组织支持在贫困国家建立自主组织.

2、 After the War, Japan set up its self defence troops with the support of the USA.

二战后, 日本在美国的支持下,建立了自卫队.

3、 Central idea: People create producing and consuming system to support self needs.

中心思想: 人们创设生产与消费系统以满足自身的需求.

4、 The self adjusting support comprises a rigid support connected with the reactor, and a support beam.

本实用新型包括与反应器连接的刚性支座和支撑梁.

5、 By increasing efficiency of water use and fertilizer resources, and gaining highly potential dryland output, average food per product in 15 years reached 4 100 kg/ km², thus food could be self support basically with one person only possessing 733 m² dryland field;

根据不同降水年型旱作生产力的特性, 提高水肥资源的利用效率, 实现旱作产量潜势的高实现率, 15a平均粮食单产达到4100kg/km², 在人均旱作粮田仅为733m²的条件下, 做到粮食基本自给;

6、 The student must have sufficient available for self support during the entire proposed course of study!

学生必须有充足的资金以保证预期的学业!

以上是简答网为您整理的self-support怎么读的相关信息, 希望对大家有一定的帮助。
查看更多关于self-support的用法、self-support的释义、self-support的相关详情请点击：<https://dict.jiandongshicai.cn/self-support>